APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/816,666	04/02/2004	Fridolin Faist	40124/03001	9692

7590   05/27/2008

Fay Kaplun & Marcin, LLP
Suite 702
150 Broadway
New York, NY 10038

EXAMINER
LO, SUZANNE

ART UNIT	PAPER NUMBER
2128	

MAIL DATE	DELIVERY MODE
05/27/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
Office Action Summary	10/816,666	FAIST ET AL.
	Examiner	Art Unit	
	SUZANNE LO	2128	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>27 February 2008</u>.
2a)☐ This action is **FINAL**.   2b)☒ This action is non-final.
3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1-5,7-21,23 and 24</u> is/are pending in the application.
    4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5)☐ Claim(s) _____ is/are allowed.
6)☒ Claim(s) <u>1-5,7-21,23 and 24</u> is/are rejected.
7)☐ Claim(s) _____ is/are objected to.
8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.
10)☒ The drawing(s) filed on <u>02 April 2004</u> is/are: a)☐ accepted or b)☒ objected to by the Examiner.
    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
    a)☐ All   b)☐ Some * c)☐ None of:
      1.☐ Certified copies of the priority documents have been received.
      2.☐ Certified copies of the priority documents have been received in Application No. _____.
      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date <u>02/27/08</u>.

4) ☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____ .

<u>*DETAILED ACTION*</u>

1.   Claims 1-5 and 7-21, and 23-24 have been presented for examination. The Request for

Continued Examination submitted 02/27/08 has been acknowledged.

Information Disclosure Statement

2.   The information disclosure statement (IDS) submitted on 05/21/08 is in compliance with the

provisions of 37 CFR 1.97. Accordingly, the information disclosure statement has been considered by the

examiner.

Drawings

3.   Figures 2 and 3 should be designated by a legend such as --Prior Art-- because only that which is

old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are

required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s)

should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct

any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be

notified and informed of any required corrective action in the next Office action. The objection to the

drawings will not be held in abeyance.

<u>*Claim Rejections - 35 USC § 112*</u>

The following is a quotation of the second paragraph of 35 U.S.C. 112:

        The specification shall conclude with one or more claims particularly pointing out and distinctly
claiming the subject matter which the applicant regards as his invention.

4.   Claims 23-24 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing

to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 20-21 are indefinite as it is unclear what is meant by a "frame application" and the

specification of the instant application does not clearly define the metes and bounds of this limitation.

The prior art submitted by the Applicant on 02/27/08 does not render the phrase "frame application" as

the only reference to such a limitation is a proprietary technology, "FRAME entries" developed by SAS

Technologies, Inc. It is unclear whether Applicant means the "FRAME entries" of SAS by the phrase

"frame application" or another definition.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness

rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as
> set forth in section 102 of this title, if the differences between the subject matter sought to be
> patented and the prior art are such that the subject matter as a whole would have been obvious at
> the time the invention was made to a person having ordinary skill in the art to which said subject
> matter pertains. Patentability shall not be negatived by the manner in which the invention was
> made.

The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966),

that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are

summarized as follows:

1.   Determining the scope and contents of the prior art.
2.   Ascertaining the differences between the prior art and the claims at issue.
3.   Resolving the level of ordinary skill in the pertinent art.
4.   Considering objective evidence present in the application indicating obviousness or
       nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under
35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly
owned at the time any inventions covered therein were made absent any evidence to the contrary.
Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of
each claim that was not commonly owned at the time a later invention was made in order for the examiner
to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under
35 U.S.C. 103(a).

5.   **Claims 1-2, 4-5, 8-10, 12-16, 18-19, and 23-24** are rejected under 35 U.S.C. 103(a) as being

unpatentable over **Spriggs et al. (U.S. Patent Application Publication 2003/0028269 A1) in view of**

Smith et al. (U.S. Patent Application Publication 2002/0149628 A1).

  As per claim 1, Spriggs is directed to a method comprising: *arranging* elements of a user

interface in a tree structure reflecting a topography of the elements in *a* process control system **(Figure 7,**

GUI element 152 and accompanying text); *assigning* to at least one input window *to each element, the*

input window having a plurality of attributes *corresponding to* a target apparatus controllable in the

process control system **(Figure 7, GUI elements 166, 169, 171, 173, 175 and accompanying text);**

storing a current arrangement of the tree structure as a project **([0126]-[0127]);** and displaying values

measured by the target apparatus in the input window **(Figure 7, GUI elements 166, 169, 171, 173, 175**

and accompanying text).

  Smith teaches storing a list of all windows and the corresponding attributes opened during a

current operation as an operating session and restoring a state of the elements based on the project and the

operating session when loading a system **([0190] and Table 6).** It would have been obvious at the time

of the invention to an ordinary person skilled in the art to combine a process control system method of

Spriggs with the list of windows and attributes stored as an operating session in order to provide a variety

of arrangements of a user interface to an operator **(Smith, [0190]).**

  As per claim 2, the combination of Spriggs and Smith already discloses the method according to

claim 1, *further comprising storing* a position of the input windows during the current operation **(Smith,**

[0190]).

  As per claim 4, the combination of Spriggs and Smith already discloses the method according to

claim 1, *further comprising storing a* state of the associated user interface of the respective input windows

(Smith, [0190]).

As per claim 5, the combination of Spriggs and Smith already discloses the method according to claim 1, wherein only distinct communication links to distinct nodes of the project are selected to be restored **(Spriggs, [0136])**.

As per claim 8, the combination of Spriggs and Smith already discloses the method according to claim 1, *further comprising querying* a state of the input windows opened during operation of the process control system **(Spriggs, [0142]-[0143])**.

As per claim 9, the combination of Spriggs and Smith already discloses the method according to claim 1, *wherein* the project and the states of the elements of the project are stored in project files **(Smith, [0190])**.

As per claim 10, the combination of Spriggs and Smith already discloses the method according to claim 1, *wherein* session information is stored in the project or references to the *project* including session information are stored **(Spriggs, [0142])**.

As per claim 12, the combination of Spriggs and Smith already discloses the method according to claim 1, *further comprising managing* a list of sessions and names of active sessions for each project and *storing the names of active sessions* the latter in a non-volatile project directory **(Spriggs, [0145] and Smith, [0190])**.

As per claim 13, the combination of Spriggs and Smith already discloses the method according to claim 12, *further comprising displaying* a dialog during loading of the project, in which the names of all available sessions for the project are offered for selection **(Smith, [0190])**.

Claim 14 is directed to a method composed of steps with the same limitations as the elements of claim 1 and therefore is rejected over the same prior art combination.

As per claim 15, Spriggs is directed to a system comprising a host PC and at least one target apparatus connected to the host PC via a bus system **([0063])** *the host PC comprising a display displaying a* process control system which comprises elements of a user interface in a form of a tree structure

(Figure 7, GUI element 152 and accompanying text), *comprising* nodes, each node providing at least

one input window having a plurality of attributes *corresponding to* the target apparatus, *the host PC*

further comprising **(Figure 7, GUI elements 166, 169, 171, 173, 175 and accompanying text)**,a

memory *storing* an arrangement of the tree structure as a project **([0126]-[0127])** and *each* input window

displaying values measured by the target apparatus **(Figure 7, GUI elements 166, 169, 171, 173, 175 and**

accompanying text).

Spriggs fail to explicitly disclose teaches storing a list of all windows and the corresponding

attributes opened during a current operation as an operating session and restoring a state of the elements

based on the project and the operating session when loading a system. Smith teaches storing a list of all

windows and the corresponding attributes opened during a current operation as an operating session and

restoring a state of the elements based on the project and the operating session when loading a system

([0190] and Table 6). It would have been obvious at the time of the invention to an ordinary person

skilled in the art to combine a process control system method of Spriggs with the list of windows and

attributes stored as an operating session in order to provide a variety of arrangements of a user interface to

an operator **(Smith, [0190])**.

As per claim 16, the combination of Spriggs and Smith already discloses the system according to

claim 15, *wherein* the memory *stores* a position of the input windows **(Smith, [0190])**.

As per claim 18, the combination of Spriggs and Smith already discloses the system according to

claim 15, *wherein* the memory *stores* a state of the user interface associated to respective input windows

(Smith, [0190]).

As per claim 19, the combination of Spriggs and Smith already discloses the system according to

claim 15, *wherein* the memory *stores* several operating sessions for each project **(Spriggs, [0142])**.

As per claim 23, the combination of Spriggs and Smith already discloses the system according to claim 15, wherein the input windows further display diagnosis messages **(Spriggs, Figure 7, 168 and accompanying text)**.

As per claim 24, the combination of Spriggs and Smith already discloses the system according to claim 15, comprising a session manager **(Spriggs, [0131]-[0133])**.

6.   **Claims 3, 11, and 17 are** rejected under 35 U.S.C. 103(a) as being unpatentable over Spriggs et al. (U.S. Patent Application Publication 2003/0028269 A1) in view of Smith et al. (U.S. Patent Application Publication 2002/0149628 A1) in further view of **Eldridge et al. (U.S. Patent No. 7,272,815 B1)**.

As per claim 3, the combination of Spriggs and Smith already discloses the method according to claim 1, but fails to explicitly disclose further comprising storing a communication status, indicating an online or offline status of the elements. Eldridge teaches storing a communication status, indicating an online or offline status of the elements **(column 63, lines 6-54)**. It would have been obvious at the time of the invention to an ordinary person skilled in the art to combine the process control method of Spriggs and Smith with the storing a communication status of Eldridge in order to ensure modifications to the control system are valid **(Eldridge, column 63, lines 25-30)**.

As per claim 11, the combination of Spriggs and Smith already discloses the method according to claim 1, but fails to explicitly disclose further comprising verifying upon opening the project whether session information is present, and if present, a last present view of the project with all opened dialogs is restored and all connections of a last session are restored. Eldridge verifying upon opening the project whether session information is present, and if present, a last present view of the project with all opened dialogs is restored and all connections of a last session are restored **(column 66, lines 11-30)**. It would have been obvious at the time of the invention to an ordinary person skilled in the art to combine the

process control method of Spriggs and Smith with the restoring a communication status of Eldridge in order to ensure modifications to the control system are valid **(Eldridge, column 63, lines 25-30)**.

As per claim 17, the combination of Spriggs and Smith already discloses the system according to claim 15, but fails to explicitly disclose wherein the memory stores a communication status indicating one of an online and an offline status of the input window. Eldridge teaches wherein the memory stores a communication status indicating one of an online and an offline status of the input window **(column 63, lines 6-54)**. It would have been obvious at the time of the invention to an ordinary person skilled in the art to combine the process control method of Spriggs and Smith with the storing a communication status of Eldridge in order to ensure modifications to the control system are valid **(Eldridge, column 63, lines 25-30)**.

7.   **Claim 7 is** rejected under 35 U.S.C. 103(a) as being unpatentable over Spriggs et al. (U.S. Patent Application Publication 2003/0028269 A1) in view of Smith et al. (U.S. Patent Application Publication 2002/0149628 A1) in further view of **Kim et al. ("A Two-Stage Modeling and Simulation Process for Web-Based Modeling and Simulation").**

As per claim 7, the combination of Spriggs and Smith already discloses the method according to claim 1, but fails to explicitly disclose whereby a current state of the input windows opened during operation of the process control system is transmitted to a handling software in an XML string. Kim teaches representing dynamic model information using XML **(page 232 and Figure 1 and accompanying text)**. It would have been obvious at the time of the invention to an ordinary person skilled in the art to combine the process control method of Spriggs and Smith with the XML handling software in order to represent both geometry and dynamic model information effectively.

8.   **Claims 20-21** are rejected under 35 U.S.C. 103(a) as being unpatentable over Spriggs et al. (U.S.

Patent Application Publication 2003/0028269 A1) in view of Smith et al. (U.S. Patent Application

Publication 2002/0149628 A1) in further view of **Timbers ("An Introduction to Developing**

Applications with SAS/AF Software FRAME Entries").

        As per claim 20, the combination of Spriggs and Smith already discloses the system according to

claim 15, but fails to explicitly disclose wherein the system is implemented in a frame application.

Timbers teaches building graphic-oriented applications using SAS/AF frame entries **(page 1,**

Introduction, 1st paragraph). It would have been obvious at the time of the invention to an ordinary

person skilled in the art to combine the process control apparatus of Spriggs and Smith with the frame

entries of Timbers in order to allow end-users with limited computer experience to easily perform data

analysis/reporting **(page 1, Abstract).**

        As per claim 21, the combination of Spriggs, Smith, and Timbers already discloses the system

according to claim 20, wherein the system is implemented into the frame application as an add-in **(page 1,**

Introduction, 1st paragraph).

Response to Arguments

9.   Applicant's arguments filed 02/27/08 have been fully considered but they are not persuasive.

10.   The objection to the Figure 1 is maintained. However, Figures 2-3 appear to only disclose prior

art, screenshots of the software, PACTware and are thus Figures 2-3 are objected.

11.   The 112, 2nd paragraph rejection of claim 8 in regards to being indefinite on how the

communication links are mapped to distinct nodes has been withdrawn. However, the 112, 2nd rejection

of claims 23-24 is maintained. The prior art submitted by the Applicant on 02/27/08 does not render the

phrase "frame application" as the only reference to such a limitation is a proprietary technology, "FRAME

entries" developed by SAS Technologies, Inc. It is unclear whether Applicant means the "FRAME

entries" of SAS by the phrase "frame application" or another definition.

12.   Applicant's arguments with respect to the prior art rejections have been considered but are moot

in view of the new grounds of rejection.

Conclusion

13.   The prior art made of record is not relied upon because it is cumulative to the applied
rejection. These references include:

  1. U.S. Patent Application Publication 2004/0254949 A1 published by Amirthalingam on

12/16/04.

  2. U.S. Patent No. 6,993,723 B1 issued to Danielsen et al. on 01/31/06.

  3. U.S. Patent Application Publication 2002/0199123 A1 published by McIntyre et al. on

12/26/02.

  4. U.S. Patent Application Publication 2004/0117766 A1 published by Mehta et al. on 06/17/04.

  5. U.S. Patent No. 6,795,798 B2 issued to Eryurek et al. on 09/21/04.

  6. U.S. Patent No. 6,032,208 issued to Nixon et al. on 02/29/00.

14.   All Claims are rejected.

    Any inquiry concerning this communication or earlier communications from the examiner should

be directed to Suzanne Lo whose telephone number is (571)272-5876. The examiner can normally be

reached on M-F, 8-4:30.

    If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Kamini Shah can be reached on (571)272-2297. The fax phone number for the organization where this

application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application

Information Retrieval (PAIR) system. Status information for published applications may be obtained

from either Private PAIR or Public PAIR. Status information for unpublished applications is available

through Private PAIR only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer

Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR

CANADA) or 571-272-1000.

/Kamini S Shah/

Supervisory Patent Examiner, Art Unit 2128

Suzanne Lo
Patent Examiner
Art Unit 2128

SL
05/21/08